

Synopsis

As we have entered this year's late season sun outages, please remember to check your reception sites and take appropriate measures to secure your downlinks. For further info regarding sun outages, please see this page on our website.

Transmission synopsis reference number: 25-443049 version 1 amendment 1

Event number: 57514

Event: Princess of Asturias Awards - 2025 Worldfeed & Worldlink

Princess of Asturias Awards 2025

WF 3 ZONES & WL

Madrid

Transmission type: Eurovision Worldfeed

DATE AND TIMING

24/10/2025 16:30 - 18:15 UTC

ORIGIN

ESRTVE Madrid

Technical origin:

MDRD ESRTVE-TVE MADRID

DESTINATIONS

ESFPAS Distribution: Satellite in Europe

ESFPAS Distribution: Satellite in Asia

ESFPAS Distribution: Satellite in the Americas

ESFPAS Distribution: NON-LINEAR DISTRIBUTION

Routing:

MDRD ESRTVE/MDRD_ESTVE2_JI01MDRD > FINE

FINE > GNVE ZZEBU/GNVE4_JO28GNVE

EUROPEAN DISTRIBUTION

GNVE ZZEBU/HM6/SERVICE 06

EU10B/EVS72 (SPOT 105)/EVS72A72

ASIAN DISTRIBUTION

GNVE ZZEBU/HM1/SERVICE 04
AS5/C11V/11A72

AMERICAS DISTRIBUTION

GNVE ZZEBU/CV02 FOR-A HD ONLY
GNVE ZZEBU/HM5/SERVICE 02
SES-14/HEL 19 - HER 19/19A72
GNVE CHSTFA/NON-LINEAR
GNVE ZZEBU/EVS LICENSE #1
GNVE ZZEBU/STREAMFARM EVS-1/EVS-1 IN-01
GNVE ZZEBU/STREAMFARM EVS-2/EVS-2 IN-19
BACK-UP` FIBER
MDRD ESRTVE/MDRD_ESTVE2_JI02MDRD > FINE
FINE > GNVE ZZEBU/GNVE4_JO30GNVE

DISTRIBUTION NETWORK

Satellite Eutelsat 10B 10 deg East Transponder EVS72 (SPOT 105)
Channel EVS72A72 - 72 MHz
MCPC SERVICE 06
Uplink frequency 13922.65625 MHz POL.Y
Downlink frequency 11200.0 MHz POL.X
Parameters NS4 16APSK 70.0 Ms/s FEC 3/4,Pilot:On Roll-off 0.02
(MPEG4/H.264 420 200.714996 Mbps) NS4 NLC Mode:Off
Video standard HD 1080i 50Hz 16:9
Audio 1 INTERNATIONAL SOUND MONO
Audio 2 SPANISH
Audio 3 ENGLISH
Audio 4 FRENCH
Audio 5 GERMAN
Audio 6 ITALIAN

Satellite Asiasat 5 100.5 deg East Transponder C11V
Channel 11A72 - 72 MHz
MCPC SERVICE 04
Uplink frequency 6305.0 MHz POL.X
Downlink frequency 4080.0 MHz POL.Y
Parameters NS4 16APSK 70.0 Ms/s FEC 19/30,Pilot:On Roll-off 0.02
(MPEG4/H.264 420 169.317 Mbps) NS4 NLC Mode:On
Video standard HD 1080i 50Hz 16:9
Audio 1 INTERNATIONAL SOUND MONO
Audio 2 SPANISH
Audio 3 ENGLISH
Audio 4 FRENCH
Audio 5 GERMAN
Audio 6 ITALIAN

Satellite SES-14 47.5 deg West Transponder HEL 19 - HER 19
Channel 19A72 - 72 MHz

MCPC SERVICE 02

Uplink frequency 6381.5 MHz POL.LHCP

Downlink frequency 4156.5 MHz POL.RHCP

Parameters NS4 16APSK 70.0 Ms/s FEC 2/3,Pilot:On Roll-off 0.10
(MPEG4/H.264 420 178.421 Mbps) NS4 NLC Mode:Off

Video standard HD 1080i 60Hz 16:9

Audio 1 INTERNATIONAL SOUND MONO

Audio 2 SPANISH

Audio 3 ENGLISH

Audio 4 FRENCH

Audio 5 GERMAN

Audio 6 ITALIAN

Fiber circuit 25-443049_JI02MDRD_TO_JO30GNVE(726650)

Source port JI02MDRD

Destination port JO30GNVE

Parameters JPEG2000 163.84 Mbps

Video standard HD 1080i 50Hz 16:9

Audio 1 INTERNATIONAL SOUND MONO

Audio 2 SPANISH

Audio 3 ENGLISH

Audio 4 FRENCH

Audio 5 GERMAN

Audio 6 ITALIAN

Fiber circuit 25-443049_JI01MDRD_TO_JO28GNVE(726649)

Source port JI01MDRD

Destination port JO28GNVE

Parameters JPEG2000 163.84 Mbps

Video standard HD 1080i 50Hz 16:9

Audio 1 INTERNATIONAL SOUND MONO

Audio 2 SPANISH

Audio 3 ENGLISH

Audio 4 FRENCH

Audio 5 GERMAN

Audio 6 ITALIAN

Resource GNVE CHSTFA/NON-LINEAR

Video standard HD 1080i 50Hz 16:9

Audio 1 INTERNATIONAL SOUND MONO

Audio 2 SPANISH

Audio 3 ENGLISH

Audio 4 FRENCH

Audio 5 GERMAN

Audio 6 ITALIAN

System NON-LINEAR DISTRIBUTION

Synopsis issued by: ILS